


**commBOX**  
*Do it better*



**COMMBOX LED BANNER**

72"

# COMMBOX LED BANNER

72"



Elevate every space with LED brilliance. The CommBox LED Banner, with its ultra-slim integrated design, seamlessly fits into a wide range of applications including retail, exhibitions, educational and business settings.

## KEY FEATURES

- Instantly showcase vibrant signage and messaging, effortlessly transitioning from one location to another with easy mobility.
- With CommBox LED Banner, you can schedule images, videos, create playlists, send content to any CommBox LED Banner screen from anywhere.
- High quality display with 2K and 4K options.
- Adaptive and bright, even in sunlight.
- Connect more than one Poster together for a more dynamic effect.
- Wall mount, Hanging or Floor Mounted.
- Come pre-assembled in secure road case for easy transport.
- 3-year warranty

## SPECS



Integrated design with no need for external devices



Lightweight, easy to maneuver and has it's own roadcase



Cluster more than one LED Poster together to create a larger mobile screen set up



Intelligent remote control



High quality display



# COMMBOX LED BANNER

72" - ASPECT RATIO: 16:9 or 9:16

commbOX



## SPECIFICATIONS

SKU	CBLP07219	CBLP07225
Sizes	72"	72"
Pixel Pitch	1.9	2.5
Brightness (nits)	800	800
Panel Resolution (px)	320 x 900	240 x 675
Aspect Ratio	9:16	9:16
Panel Weight (excl base)	38 kg	38 kg
Average Power (W)	200	210
Max Power (W)	560	600
LED Lifespan (hrs)	≥100,000	≥100,000
Service Access	Front	Front
LED Configuration	SMD	SMD
Viewing Angle Horizontal	160°	160°
Viewing Access Vertical	160°	160°
Viewing Size (mm)	610 x 1715	610 x 1715
Physical Size (mm)	624 x 1900 x 33.5	624 x 1900 x 33.5
Viewing Distance (m)	5m +	5m +
Refresh Rate (Hz)	1920/3840	1920/3840
Contrast	6500:1	6500:1
Grey Scale	13bit	13bit
Colour Temperature	6500-9300K (adjustable)	6500-9300K (adjustable)
Installation	Floor, Hanging, Wall	Floor, Hanging, Wall
Video Decoding	Supports H.264, H.264K @ 60Hz	Supports H.264, H.264K @ 60Hz

# COMMBOX LED BANNER

72" - ASPECT RATIO: 16:9 or 9:16

commbOX



## SPECIFICATIONS

<b>Media Format</b>	MPEG1, MPEG2, MPEG4, WMV, MKV, TS, FLV, MP3, JPG, JPEG, BMP, PNG, GIF	MPEG1, MPEG2, MPEG4, WMV, MKV, TS, FLV, MP3, JPG, JPEG, BMP, PNG, GIF
<b>INPUTS</b>		
<b>HDMI In</b>	1 x HDMI 1.4	1 x HDMI 1.4
<b>HDMI Out</b>	1 x HDMI 1.4	1 x HDMI 1.4
<b>USB</b>	1	1
<b>LAN</b>	1	1
<b>SKU</b>	CBTLP19	CBTLP25
<b>Processing Platform</b>	Built-in	Built-in
<b>Wifi</b>	Yes	Yes
<b>Remote Control</b>	Via Mobile Device	Via Mobile Device
<b>Control via App</b>	Yes	Yes
<b>Controller</b>	Control Box	Control Box
<b>Roadcase</b>	Yes	Yes
<b>Viewing Distance (m)</b>	5m +	5m +
<b>COMMBOX EXPERIENCE</b>		<b>WHAT'S IN THE BOX</b>
<b>Warranty</b>	3 Year Warranty	Road Case
<b>Support</b>	Same business day help desk support	Floor Stand
		Power Cable
		Frame
		Display Cabinet

*\*6 sets of P1.9 LED posters can be joined together and 8 sets of P2.5 LED posters can be joined together.*