

BOSTIK HAND SANITISER Revision Number 1

Revision date 29-Mar-2020 Supersedes Date: 29-Mar-2020

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK HAND SANITISER

Product Code(s) 30617423

30617423; 30617424

Other means of identification

Proper Shipping Name Ethanol solution

UN Number UN1170

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Personal care

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria

Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Flammable liquids	Category 2 - (H225)
Serious eye damage/eye irritation	Category 2A - (H319)

Label elements

Flame

Exclamation mark

Australia - EN Page 1 / 10

BOSTIK HAND SANITISER Revision Number 1

evision Number 1 Supersedes Date: 29-Mar-2020

Revision date 29-Mar-2020



Signal word Danger

Hazard statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Prolonged or repeated contact may dry skin and cause irritation

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Ethyl alcohol	64-17-5	>60
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

FIRST AID

Australia - EN Page 2 / 10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and

Revision date 29-Mar-2020

persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more

information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

Section 5: Firefighting measures

Suitable extinguishing media

Suitable extinguishing media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media Do not use straight streams. CAUTION: Use of water spray when fighting fire may be

inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code •2Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static

Australia - EN Page 3/10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

discharges. All equipment used when handling the product must be grounded.

Revision date 29-Mar-2020

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not allow to enter into soil/subsoil.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of spill; use dry sand to contain the flow of material. Absorb with earth,

sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Take up mechanically, placing in appropriate containers for disposal.

Precautions to prevent secondary hazards

Prevention of secondary hazards Eliminate all ignition sources if safe to do so.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when

using this product.

General hygiene considerations Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when

using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact

with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the

particular national regulations.

Incompatible materialsNone known based on information supplied.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
Ethyl alcohol	1000 ppm TWA
64-17-5	1880 mg/m³ TWA

OEL as published by Safe Work Australia

Australia - EN Page 4/10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

Hand protection Wear suitable gloves. Impervious gloves.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Revision date 29-Mar-2020

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance viscous Gel
Color Clear, colorless

Odor Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available
Melting point / freezing point No data available

Boiling point / boiling range 78 °C Flash point 22 °C

Evaporation rate No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data availableRelative densityNo data availableWater solubilityDispersibleSolubility(ies)No data availablePartition coefficientNo data available

Autoignition temperature 430 °C

Decomposition temperatureNo data availableKinematic viscosityNo data availableDynamic viscosityNo data availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other information

Solid content (%)

VOC Content (%)

Density

No information available

No information available

No information available

Section 10: Stability and reactivity

Australia - EN Page 5/10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

Revision date 29-Mar-2020

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products

Hazardous decomposition

products

Carbon oxides. Nitrogen oxides (NOx).

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

Skin contact May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	=7060 mg/kg (Rattus)	-	=124.7 mg/L (Rattus) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritiation.

Australia - EN Page 6 / 10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity If this product is a mixture, the classification is not based on toxicology studies for this

product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the

Revision date 29-Mar-2020

other sections of this SDS.

Reproductive toxicity No information available.

STOT - single exposure None under normal use conditions.

STOT - repeated exposureNone under normal use conditions.

Aspiration hazard Not applicable.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Ethyl alcohol	-	LC50: >100mg/L (96h,	EC50 = 34634 mg/L 30	LC50: (48h, Daphnia
64-17-5		Pimephales promelas)	min	magna) EC50: =12.34
			EC50 = 35470 mg/L 5	mg/L
			min	

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	

Mobility

Mobility in soil

No information available.

Mobility

No information available.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Australia - EN Page 7/10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Revision date 29-Mar-2020

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or

weld containers.

Section 14: Transport information

ADG

UN Number UN1170

Proper shipping name Ethanol solution

Hazard Class Ш **Packing Group Special Provisions** 144, 223 **ADG Limited Quantity** 5 L

Description UN1170, Ethanol solution, 3, III

Hazchem code

IATA

UN number UN1170 Transport hazard class(es) Ш Packing group **ERG Code** 3L

Special Provisions A180, A3, A58

Limited Quantity (LQ) 10 L

Description UN1170, Ethanol solution, 3, III

IMDG

UN number UN1170 Transport hazard class(es) Ш Packing group F-E, S-D EmS-No. **Limited Quantity (LQ)** 5 L 144, 223 **Special Provisions**

Marine Pollutant Nn

Description UN1170, Ethanol solution, 3, III, (22°C c.c.)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

<u>Australia</u>

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Liquids that meet the criteria for Class 3 Packing Group II or III

Liquids with flash points <61°C kept above their boiling points

Threshold quantity (T) 50 000 200

Australia - EN Page 8/10

BOSTIK HAND SANITISER

Revision Number 1 Supersedes Date: 29-Mar-2020

Revision date 29-Mar-2020

at ambient conditions

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Ethyl alcohol	10 tonne/yr Threshold category 1 20 MW Threshold category
64-17-5	2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AICS
NZIOC
Listed
ENCS
Not Listed
IECSC
Listed
KECL
PICCS
Listed
Listed
Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Mar-2020

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information EC50 (effective concentration)

Disclaimer

Australia - EN Page 9/10

BOSTIK HAND SANITISERRevision Number 1

Revision date 29-Mar-2020 Supersedes Date: 29-Mar-2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 10 / 10