

# MATERIAL SAFETY DATA SHEET

## SAND PIT SANITISER

#### **SECTION 1: IDENTIFICATION**

PRODUCT NAME: SAND PIT SANITISER

Product Codes: 3x5L plastic drum: 634090700

Recommended Use: SANITISING SAND PITS.

## SUPPLIER:

Pelikan Artline Pty. Ltd.

17-19 Waterloo Street, Queanbeyan, NSW 2620 AUSTRALIA. PO Box 100 Queanbeyan NSW 2620 AUSTRALIA. Phone: +61-2-6284-4555 Fax: +61-2-6284-4556

Email: MSDS@pelikanartline.com.au

## MANUFACTURER:

Pelikan Artline Pty. Ltd.

17-19 Waterloo Street, Queanbeyan, NSW 2620 AUSTRALIA. PO Box 100 Queanbeyan NSW 2620 AUSTRALIA. Phone: +61-2-6284-4555 Fax: +61-2-6284-4556

Email: MSDS@pelikanartline.com.au

**NOTE:** For advice in an emergency, contact the Poisons Information Centre in Australia 13-11-26 or New Zealand 0800-764-766.

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### **HAZARDOUS**

According to criteria of:

National Occupational Health & Safety Commission NOHSC

**HAZARDS CLASSIFICATION: Irritant** 

## NOT DANGEROUS GOODS

#### According to criteria of:

## Australian Dangerous Code for Transport by Road & Rail

#### **DANGEROUS GOODS CLASSIFICATION: None Allocated**

## CLASSIFIED AS A POISON: S5

According to criteria of:

#### Standard for the Uniform Scheduling of Drugs and Poisons

## RISK PHRASES

R31 - CONTACT WITH ACIDS LIBERATES TOXIC GAS

#### SAFETY PHRASES

S2 - KEEP OUT OF REACH OF CHILDREN

**S24/25** - AVOID CONTACT WITH SKIN AND EYES

- **S26** AFTER CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE
- **S27** TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING
- **S28** AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE IF NECESSARY
- \$37/39 WEAR SUITABLE GLOVES AND EYE/FACE PROTECTION
- \$50 DO NOT MIX WITH ACIDS
- **S61** AVOID RELEASE TO THE ENVIRONMENT

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS		
Chemical Entity	CAS No	Proportion (%)
Sodium Hypochlorite	[7681-52-9]	4 - 10%

#### **SECTION 4: FIRST AID MEASURES**

# DESCRIPTION OF NECESSARY MEASURES ACCORDING TO ROUTES OF EXPOSURE

#### Swallowed

**DO NOT** induce vomiting. Immediately rinse out mouth with water. For advice, contact Poisons Information Centre (Phone Australia 13126; New Zealand 0800 764 766) or a Doctor.

## Eye

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor, or for at least 15 minutes.

#### Skin

If skin or Hair contact occurs, remove contaminated clothing and flush Skin and Hair with running water.

#### Inhaled

Not considered a probable path of exposure. If breathing is affected remove victim to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.

#### ADVICE TO DOCTOR

Treat symptomatically based on the individual reactions of patients and judgement of a Doctor.

**NOTE:** For advice in an emergency, contact the Poisons Information Centre in Australia 13-11-26 or New Zealand 0800-764-766

#### ADDITIONAL INFORMATION

#### AGGRAVATED MEDICAL CONDITIONS CAUSED BY EXPOSURE

No information is available on medical conditions, which are aggravated from exposure to this product.

#### **SECTION 5: FIRE FIGHTING MEASURES**

## EXTINGUISHING MEDIA

In case of fire, appropriate extinguishing media include Dry Chemical, Foam, Carbon Dioxide and Water Fog. Use Water to keep fire-exposed containers cool and to protect personnel

#### HAZARDS FROM COMBUSTION PRODUCTS

The product is Not Combustible under normal conditions. When involved in a fire, this product may generate Carbon Dioxide and Carbon Monoxide. Stable under ordinary conditions of use and storage. Incompatible with Oxidizing Agents and Acids

# SPECIAL PROTECTIVE PRECAUTIONS AND EQUIPMENT FOR FIRE FIGHTERS

No specific data is available.

## FLAMMABILITY CONDITIONS

Product is aqueous and is not considered Combustible.

HAZCHEM Code: None Allocated

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **EMERGENCY PROCEDURES**

Persons involved in a major spill clean up should wear appropriate personal protective equipment. Isolate hazard area and stop leaks if safe to do so. Avoid walking through spilled product, as it may be slippery. Keep unnecessary and unprotected personnel from entering the area. DO NOT allow product to enter drains or waterways.

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP

Collect liquid in an appropriate container or absorb with an inert material (e.g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as sawdust or cellulose. Do not flush to sewer.

#### **SECTION 7: HANDLING AND STORAGE**

#### PRECAUTIONS FOR SAFE HANDLING

Ensure an eye bath and safety shower is available and ready for use. Observe good personal hygiene practices and recommended procedures. Avoid prolonged contact with skin. Avoid contact with eyes.

#### CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLES

Protect against physical damage. Store in a cool, dry well-ventilated area. Separate from oxidizing materials and acids.

#### CONTAINER TYPE

Store in original containers.

#### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

## NATIONAL EXPOSURE STANDARDS

Chlorine

**TWA** (**mg/m3**) 3.0 (peak 1ppm)

## BIOLOGICAL LIMIT VALUES

No Data Available

## ENGINEERING CONTROLS

Natural ventilations should be adequate under normal conditions of use.

## PERSONAL PROTECTION

## Respiratory protection

Not considered necessary under normal conditions of use.

## Skin protection

Wear suitable gloves. When cleaning up significant spills wear protective clothing including boots, gloves, lab coat, or coveralls, as appropriate, to prevent excessive skin contact.

## Eye protection

Where a risk of splashing exists or when cleaning up significant spills wear chemical safety goggles. Maintain eyewash and quick-drench facilities in work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance	A clear Yellow Viscous Liquid	
Odour	Odour of Chlorine	
Solubility in water	Miscible	
Specific Gravity	1.03 - 1.06	
pH (as is)	13 - 14	
pH (1% Aqueous Solution)	No Data Available	
Viscosity (@ 20°C)	No Data Available	
Flash Point (°C)	Approximately 100°C	
Volatile Organic Compounds (VOC)	Essentially none	
content		
Evaporation Rate	No Data Available	
Percent Volatile	No Data Available	

#### **SECTION 10: STABILITY AND REACTIVITY**

#### CHEMICAL STABILITY

Product is stable under normal conditions of handling, storage and use.

## CONDITIONS TO AVOID

No information is available for this product.

#### INCOMPATIBLE MATERIALS

Incompatible with Acids

## HAZARDOUS DECOMPOSITION PRODUCTS

No information is available for this product.

## HAZARDOUS REACTIONS

No information is available for this product.

#### 11. TOXICOLOGICAL INFORMATION

## TOXICITY DATA

Chlorine Sodium Hydroxide

LD<sub>50</sub> oral (rat): 5300mg/kg Lethal Dose oral (man): 5 g

LD<sub>50</sub> Skin (rabbit): > 6310 mg/kg Eye (rabbit): 500mg 24h; severe

irritation

Eye (rabbit): 24h; moderate irritation Skin (rabbit):1mg/30secs; severe

irritation

Skin (rabbit): 24h; moderate irritation

#### **HEALTH EFFECTS – ACUTE**

#### Swallowed

This product is harmful by ingestion when assessed against criteria of Worksafe Australia. However, the product may cause irritation to the gastrointestinal tract. Symptoms may include pain, nausea, vomiting and diarrhoea.

## Eye

This product is an eye irritant when assessed against criteria of Worksafe Australia. The product will cause immediate irritation and discomfort when splashed into eyes that may include, redness, stinging and swelling. Permanent damage may result if first aid is not performed expeditiously.

## Skin

This product is a skin irritant when assessed against criteria of Worksafe Australia. Direct skin contact will produce skin irritation and discomfort if not washed off with water. The skin may appear red and become sore. Sensitive individuals may experience skin cracking and scaling.

#### Inhaled

This product is not expected to be a respiratory tract irritant under normal conditions of use.

#### 12. ECOLOGICAL INFORMATION

### **ECOTOXICITY**

No Data is available for this product.

#### PERSISTANCE AND DEGRADABILITY

No information is available on the persistence and degradability of this product.

## MOBILITY

Not available.

#### ENVIRONMENTAL FATE (Exposure)

No information is available for this product.

## BIOACCUMULATION POTENTIAL

No information is available on the Bioaccumulation Potential of this product.

#### 13. DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS AND CONTAINERS

Dispose of in accordance with all local, state and federal regulations. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options.

## SPECIAL PRECAUTIONS FOR LANDFILL AND INCINERATION

#### No Data Available

## 14. TRANSPORT INFORMATION

None UN No:

**Shipping Name:** Not Regulated **DANGEROUS** Not Regulated

**GOODS CLASS:** 

**Subsidiary Risk:** Not Regulated Packaging Group: Not Regulated **HAZCHEM** Not Regulated

Code: **PRECAUTIONS** 

For User:

Not Regulated

## 15. REGULATORY INFORMATION

**Poisons S5** 

**Schedule:** 

EPG: Not Regulated **AICS Name:** Not Regulated

**NZ** Toxic

LC50

No Data **Substance**:

## 16. OTHER INFORMATION

## LEGEND TO ABBREVIATIONS AND ACRONYMS

Less than Greater than

**AICS** Australian Inventory of Chemical Substances CAS Chemical Abstracts Service (Registry Number)

LC stands for lethal concentration. LC50 is the concentration of a material in air, which

causes the death of 50% (one half) of a group of test animals. The material is inhaled

over a set period of time, usually 1 or 4 hours.

LD stands for "Lethal Dose". LD50 is the amount of a material, given all at once, which LD50

causes the death of 50% (one half) of a group of test animals

**NIOSH** National Institute for Occupational Safety and Health **NOHSC** National Occupational Health and Safety Commission **OECD** Organization for Economic Co-operation and Development

PEL Permissible Exposure Limit **STEL** Short Term Exposure Limit **TLV** Threshold Limit Value **TWA** Time Weighted Average UN No United Nations (number)

Immiscible Liquids are insoluble in each other

Miscible Liquids form one homogeneous liquid phase regardless of the amount of either

component present

mm Millimetre
ppb Parts per billion
ppm Parts per million

#### LITERATURE REFERENCES and SOURCES of DATA

List of Designated Hazardous Substances [NOHSC (National Occupational Health & Safety Commission)]

Approved Criteria for Classifying Hazardous Substances [NOHSC (National Occupational Health & Safety Commission)]

National Code of Practice for the Control of Workplace Hazardous Substances

[HOHSC: 2007 (1994)]

National Standards for the Storage and Handling of Workplace Dangerous Goods

[HOHSC: 1015 (2001)]

Exposure Standards Database [NOHSC (National Occupational Health & Safety

Commission)]

Australian Dangerous Goods Code for Transport of Road & Rail [ADG Code: Sixth

Addition Vol 1 & Vol 2]

Standards for the Uniform Scheduling of Drugs & Poisons [National Drugs and Poisons Committee Publication 23rd Addition June 2008]

#### AUSTRALIAN / NZ STANDARDS

AS3780: The Storage & Handling of Corrosive Substances AS/NZS 3833: The Storage & Handling of Mixed Classes of Dangerous Goods in Packages & Intermediate Bulk Containers

## END OF MSDS

Last Updated: October 2014

Revised By: Pelikan Artline Pty Ltd







This MSDS summarises Pelikan Artline Pty Ltd best knowledge of the health and safety hazard information of the selected substance and how to safely handle the selected substance in the workplace however Pelikan Artline Pty Ltd expressly disclaims that the MSDS is a representation or guarantee of the chemical specifications for the substance. Each user should read the MSDS and consider the information in the context of how the selected substance will be handled and used in the workplace including its use in conjunction with other substances.

© Copyright 2009 Pelikan Artline Pty Ltd