

CommBox LED Board 21:9



SPECIFICATIONS

SKU	CBLB13212	CBLB18115	CBLB20919
SKU - Impact Resistant	CBLB13212-APL	CBLB18115-APL	CBLB20919-APL
Sizes	132"	181"	209"
Pixel Pitch	1.2mm	1.5mm	1.9mm
Brightness (nits)	550	550	550
Panel Resolution	2400 x 1080	2688 x 1080	2560 x 1080
Aspect Ratio	21:9	21:9	21:9
Panel Weight	108kg	189kg	260kg
Average Power (kw)	0.63kw	0.81kw	1.01kw
Power Consumption (kw)	1.84kw	2.38kw	2.98kw
LED Lifespan	≥100,000hrs	≥100,000hrs	≥100,000hrs
Service Access	Front	Front	Front
LED Configuration	SMD	SMD	SMD
View Angle Horizontal	170°	170°	170°
View Angle Vertical	170°	170°	170°
Viewing Size (mm)	3050 x 1372	4270 x 1715	4880 x 2058
Physical Size (mm)	3064 x 1488 x 31	4284 x 1832 x 31	4894 x 2175 x 31
Screen Thickness (mm)	31mm	31mm	31mm
Viewing Distance	2.5m +	3.2m +	3.8m +
Contrast	6500:1	6500:1	6500:1
Colour Temperature	2300-9300K (adjustable)	2300-9300K (adjustable)	2300-9300K (adjustable)
Frame Material	Magnalium	Magnalium	Magnalium
Installation	Wall, Hanging, Stand	Wall, Hanging	Wall, Hanging

CommBox LED Board 21:9



SPECIFICATIONS

SKU	CBLB13212	CBLB18115	CBLB20919
SKU - Impact Resistant	CBLB13212-APL	CBLB18115-APL	CBLB20919-APL
INPUTS			
HDMI 2.0 Input	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)	3 (2 Internal, 1 External)
HDMI 2.0 Output	1 (Internal)	1 (Internal)	1 (Internal)
USB 2.0	1 (External)	1 (External)	1 (External)
USB 3.0	1 (External)	1 (External)	1 (External)
Type-C	1 (External)	1 (External)	1 (External)
3.5 Audio Output	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)	2 (1 Internal, 1 External)
Audio Optical Output	1 (Internal)	1 (Internal)	1 (Internal)
RS232 Port	1 (Internal)	1 (Internal)	1 (Internal)
RS485 Port	1 (Internal)	1 (Internal)	1 (Internal)
Bluetooth	1 (Wireless)	1 (Wireless)	1 (Wireless)
LAN	1 (Internal)	1 (Internal)	1 (Internal)
Audio	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range	2 x 30W speakers, 2.0 channel, full frequency range



CommBox LED Board 21:9



SPECIFICATIONS

SKU	CBLB13212	CBLB18115	CBLB20919
SKU - Impact Resistant	CBLB13212-APL	CBLB18115-APL	CBLB20919-APL
Video Processor	Built-in	Built-in	Built-in
Picture in Picture	HDMI 2.0	HDMI 2.0	HDMI 2.0
Remote Control	Yes	Yes	Yes
Control via App	Yes	Yes	Yes
Screen Control	RS232 - IP Control	RS232 - IP Control	RS232 - IP Control
Controller	Yes	Yes	Yes
Wireless Screensharing	Yes	Yes	Yes
Low Blue Light	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes	Automatic brightness adjustment + 4 different modes

COMMBX EXPERIENCE		WHAT'S IN THE BOX
Warranty	3 Year Warranty (plus optional 4 or 5 year spare parts warranty)	Wall Bracket
Support	Same business day help desk support	Remote Control
		Power Cable
		Front Maintenance Tool
		Tool Kit

 [Request Quote or Demo](#)