logitech®



DATASHEET LOGITECH SCRIBE

Effortlessly share whiteboards into video meetings with Logitech Scribe, an Al-powered whiteboard camera for Microsoft Teams Rooms, Zoom Rooms, and Google Meet Rooms, and other leading video conferencing services.

WHITEBOARD CAMERA FOR VIDEO CONFERENCING ROOMS

Designed for whiteboard sharing in the modern workplace, Logitech Scribe broadcasts content on dry erase boards into video meetings with outstanding clarity. Now, even remote participants can have the best seat at the table.

With a clean wall-mounted design and thoughtful cable management, Scribe installs elegantly and out of the way of meeting collaboration. Together with the whiteboard content camera, Scribe includes a wireless share button, mounting components, power supply, and category cables for deployment at scale.

PURPOSE-BUILT FOR **ROOM SOLUTIONS**

Scribe integrates with leading video conferencing room solutions, including Microsoft Teams Rooms, Zoom Rooms, and Google Meet Rooms. Simply join the meeting and start sharing.









SIMPLE TO USE



Works with Any Whiteboard


Works with all whiteboard surfaces, capturing up to $6'\,\mathrm{W}$ by 4' H, and any set of dry erase markers.



One-Touch to Share

Scribe's wireless share button makes sharing whiteboards into video meetings quick and easy.* You can also initiate sharing with your Logitech Tap meeting room touch controller.

PERFECT VIEWS, REMOTE OR IN THE ROOM



Presenter Removal

Scribe's built-in Al delivers a transparency effect, allowing participants to see "through" the presenter for an unobstructed view of the whiteboard.

Content Enhancement


Scribe automatically enhances the color and contrast of dry erase markers, making text and sketches easier to read.

Sticky Note Detection

Scribe uses image segmentation to recognize and show other forms of content like sticky notes.

^{*} Share button support may vary by video conferencing service provider. See www.logitech.com/support/scribe-compatibility for latest information.

CLEAN, FLEXIBLE INSTALLATION




Wall Mounting

Securely mount Scribe to a variety of wall surfaces with the included installation kit.



Cable Management

Ensure clean, confident installs with cable retention and options to route cabling up, down, or through the wall.



Flexible Cabling

Use the included 10 meters of category cable or supply your own to fit the size and layout of your meeting room.

DEPLOY AT SCALE

Scribe includes a wireless share button, mounting components, power supply, and category cables for easy installations.

Microsoft Teams Rooms, Zoom Rooms, and Google Meet Rooms already integrate with Scribe for easy deployment across your video conferencing rooms.



ADAPT FOR YOUR ENVIRONMENT



POLARIZER

Add a polarizing filter to minimize glare and manage reflections in environments with extremely bright lighting.



SHARE BUTTON IN WHITE

Add a white wireless button as an alternative to purple for a clean, white aesthetic.

LOGITECH SCRIBE

SYSTEM REQUIREMENTS		COMPATIBILITY AND CERTIFICATIONS			PACKAGE CONTENTS	
Whiteboard Maximum Dimensions (Height x Width) 1.2 x 1.8 m 4 x 6 ft Customer-Supplied Cabling Cable Type: Cat5e or higher [up to 115.83 ft (35 meters) in total length]		Integrates with Microsoft Teams Rooms, Zoom Rooms, and Google Meet Rooms as a whiteboard content camera. See www.logitech.com/support/scribe-compatibility for pending and granted certifications and compatibility updates. Compatible with virtually any video conferencing application as a USB-connected camera.		Camera Share Button Dongle Transceiver 100-240v Power Supply with International Adaptor Set 16.4 ft (5.0 m) Cat5e Cables x 2 Cable Clips x 2 Camera Installation Kit Documentation		
PRODUCT DIMENSIONS						
Camera Total Height x Width x Depth: 149 x 119 x 593 mm 5.9 x 4.7 x 23.4 in 1.1 kg (2.75 lbs)	Share Button Height: 12.7 mm (0.5 in) Diameter: 71.8 mm (2.8 in) 108g (0.24 lbs)		Power Supply Total Height x Width x Depth: 91 x 60 x 36 mm 3.6 x 2.4 x 1.4 in	23 x 31 x 8 0.9 x 1.2 x	ht x Width x Depth: 4 mm	Included Cabling (x2) Length: 5 m (16.4 ft)
CAMERA		SHARE BUTTON		POWER & CABLES		
Output Resolution: 1080p at 15 fps Built-In Al: Broadcasts Al-enhanced image stream into video meetings		Power: 2 x CR2032 battery Adhesive-backed mounting Share button support may vary by video conferencing service provider. See www.logitech.com/support/scribe-compatibility for latest information.		Power Supply: 100-240V auto-switching power supply with international adaptor set Cable Type: Cat5e SF/UTP AWG26 or higher		
ENVIRONMENTAL		INTERFACES		DEVICE MANAGEMENT		
Operating Temperature: 0 to 40°C Storage Temperature: -40 to 70°C Humidity: 10 to 95%		Camera: Category Cable Port Share Button: Bluetooth® Low Energy		Using Logitech Sync, monitor room health, deploy updates, and modify settings all from a single cloud-based platform.		
EXTENDED WARRANTY					OPTIONAL ACCESSORIES	
con	nes with knowing yo	our Logite	d warranty offers security and peace of mind that ur Logitech video collaboration room systems ed against defects for up to five years from the		Polarizer White Share Button	
Pur pur	burchase date. Extended warranties are available for either one year or three years beyond the original Logitech manufacturer's two-year warranty. Contact your reseller for availability. Standard 2-year limited hardware warranty included			PART NUMBERS		
war Cor				Logitech Scribe: 960-001332		

logitech[®]